

ROM SmartTrailer

High pressure sewer jetting trailer



The ROM SmartTrailer sewer jetting trailer is suitable for the unblocking and cleaning of lateral lines and main lines in the sanitary system up to Ø300mm. The machine can also be employed for facade, surface and drain cleaning. The trailer can even be used for light graffiti removal. The perfect solution for sewer cleaners, plumbers and municipalities.

Compact power machine

This sewer jetter is proof that compact and power go together really well. With a cleaning pressure of up to max. 150 bar and a water capacity of up to max. 50l/min, the SmartTrailer is a force to be reckoned with.

Easy to operate

The SmartTrailer can easily be operated by anyone. The job will be done in no time at all.

Safe driving habits

A comfortable driving experience thanks to the trailer's low centre of gravity. This ensures both stable and safe road holding.

Standard driving licence sufficient

The machine's weight is so low, that it can be towed by any vehicle. Even with a full water tank, the total weight of the vehicle remains below 750kg. Therefore, a trailer (or other specific) licence is not required. Because a standard driving licence is sufficient, the SmartTrailer can be used very flexibly in terms of required personnel and vehicle fleet.

Maintenance friendly

The ROM SmartTrailer is a maintenance friendly machine. Thanks to the combination of a B&S engine and a Speck high pressure pump, the unit requires little maintenance. The optional bonnet has a wide opening angle, which is ideal for servicing the engine/pump compartment.

Easy to park

The SmartTrailer can be parked practically anywhere thanks to its compact design. Moreover, the trailer is so light weight that you can easily push it anywhere by yourself, even through the narrowest of streets.

Top quality for a low price

Despite its sharp pricing, the machine is full of high quality parts; a Speck high pressure pump, a robust electro galvanised high pressure reel and a hot-dip galvanised frame.


Operate from a distance

Go for the ROM SmartTrailer | Comfort with remote control and work even more efficiently, ergonomic and safely. Makes it possible to operate the machine by yourself and work from a greater distance. Includes emergency stop button.

Options? See next pages

For more info, go to rombv.com

Technical information



Suitable for

Unblocking and cleaning of lines up to max Ø300mm
Facade, surface, and drain cleaning and graffiti removal

Drive

Air-cooled petrol engine
Electric starting system

High pressure pump

Speck NP25, three cylinder plunger pump
Cleaning pressure up to max. 150 bar and a water capacity up to max. 50 l/min

High pressure reel

Manually operated
Robust, electro galvanised high pressure reel
Suitable for max. 80m 1/2" (ND13) sewer jetting hose
ROM maintenance-free bearing & external radial swivel joint

Conservation

Hot-dip galvanised frame
Other metal (plate) parts electro galvanised

Standard features include i.a.

Manually operated water filling hose reel
Dry run protection
Spraygun
Nose wheel
Nozzle storage rack
Light bar with LED lighting
80m. hp hose
Electrical radio remote control Smart-Remote, 3 buttons

** Consult Comfort edition*

Advantages


- Multi-purpose
- User friendly
- Light weight
- Perfect for lighter commercial vehicles
- Standard driving licence is sufficient
- Compact
- City centres and parking garages are easily accessible
- Can be parked practically anywhere
- Optimum performance in the harshest of circumstances
- Reliable industrial engine/pump combinations
- Maintenance friendly
- Hot-dip galvanised frame
- 400 litre water tank
- Safe (CE marking)

Article number	0221901	0221903
Version	ROM SmartTrailer 150/40 Petrol with bonnet	ROM SmartTrailer 150/50 Petrol with bonnet
Starting system	Electric	
Engine	16,9kW / 23hp B&S VANGUARD EU Stage V & EPA Tier 4 Petrol engine	
Pump	Speck NP25/50	
Water tank capacity	400l	
Empty weight (excl. options)	Approx. 320kg	Approx. 330kg
Dimensions (l x w x h)	2750 x 1240 x 1050mm	
HP reel drive	Manual	
HP sewer jetting hose	80m. 1/2" (ND13)	
Water filling hose reel	Optional: Manually operated water filling hose reel with 50m 3/4" filling hose (ND20)	
Remote control	-	Remote control Smart-Remote



OPTIONS ROM SMARTTRAILER

04103



Fixed hydrant filling connection

- Fixed hydrant filling connection equipped with STORZ coupling (cam size 52mm.) with filter on the water tank. (SmartTrailer)

0425



Rotating beacon 360° (LED) on pole

- Rotating beacon 360° (LED) on pole. (For ROM 900 en SmartTrailer not in combination with working light on pole) (For SmartTrailer only available in combination with option 'electric start system').



Nozzle sets

- **00713** Nozzle set 3/8", consists of grenade, rotating nozzle, pointed nozzle.
- **00716** Nozzle set 1/2", consists of grenade 51, rotating nozzle, pointed nozzle.
- **00740** ENZ 1/2" nozzle case ROM Anniversary Edition with Grenade, Pointed nozzle, Rotojet KBR, Tool Case

OTHER OPTIONS

Art.No.	Description
TRB200	Net discount picking up ROM SmartTrailer in Brno, Czech Republic instead of in Barneveld, The Netherlands. Possible for transportation within EU. Delivery: FCA Brno CZ (Incoterms 2020)

