

ROM SmartTrailer PRO

High pressure sewer jetting trailer



The new ROM SmartTrailer PRO sewer jetting trailer: packed with smart solutions based on over 40 years of experience. Perfect for the unblocking and cleaning of lateral lines and main lines in the sanitary sewer system up to Ø400mm. You can go for a petrol or a diesel engine, a cleaning pressure of up to max. 160 bar and a water capacity of up to max. 60 l/min.

Spacious 650 litre water tank

By clever use of space and material, the SmartTrailer PRO is compact, light weight and equipped with a spacious water tank of 650 litres. This way, you can continue your work activities longer.

Stable road holding thanks to unique transit

The SmartTrailer PRO has a unique transit space in its water tank. Perfect for the storage of longer tools. Also, the transit stabilises the water in the tank for safe handling.

Smart tool boxes

Always the right tools within reach thanks to the two extensive standard tool boxes. With integrated holders for storing nozzle cases and safety cones.

Optimal operating ease

Thanks to the ergonomic located reels, electric starting system, full operation at the rear and the easy to reach emergency stop button, every job is a piece of cake.

User friendly electrically driven high pressure reel

The SmartTrailer PRO is equipped with an electrically driven high pressure reel with hose guiding system*. This allows for easier operation and is also very environment friendly.

Get to work faster without any additional actions

Having to open the bonnet prior to commencing your work activities is not necessary thanks to the well thought out thermal management. The heat is dissipated through the grille.

Extremely rigid

The Scorpion skeleton provides optimum rigidity and strength. The base frame and chassis are hot-dip galvanised and the chassis is from the high quality brand AL-KO.

Compose your own SmartTrailer PRO

The SmartTrailer PRO | Essential comes standard with a manually operated water filling hose reel with 50m 3/4" filling hose, dry-running protection, spray gun, stainless steel nozzle rack, light bar with LED lighting and an 80 meter hose.

Do you want even more comfort? Then choose the Comfort or Comfort Plus version. You will then benefit from a remote control, an electrically driven high-pressure reel, and intelligent iROM control*.

Options? See next pages

For more info, go to rombv.com

Technical information



Suitable for

Unblocking and cleaning of drains and sewers up to max Ø400mm
Facade, surface, and drain cleaning and graffiti removal

Drive

Air-cooled petrol engine or water-cooled diesel engine
Electric starting system (petrol) | Electronic starting system (diesel)

High pressure pump

Speck NPR25, 3 plunger high pressure pump
Cleaning pressure up to max. 160 bar and a water capacity up to max. 60 l/min

High pressure reel

Manually operated or electrically driven
Robust, electro galvanised high pressure reel
Suitable for max. 80m 1/2" (ND13) sewer jetting hose

Conservation

Base frame / chassis is fully hot-dip galvanised
Scorpion skeleton, bumper and other bodywork: powder coated in RAL 7016 anthracite grey

Standard features include i.a.

Manually operated water filling hose reel
Dry run protection | Spraygun | Water level indicator | Nozzle storage rack
Light bar with LED lighting | 80m. hp hose
Remote control 8 buttons* | ROM eREEL: Electric drive for HP reel*
iROM control*

* Consult Comfort / Comfort Plus edition

Advantages

- Continue your work activities longer thanks to the spacious 650 litre water tank
- Work easily and environment friendly with the electrically driven HP reel (optional)
- Stable road holding thanks to unique transit in water tank
- Always the right tools within reach thanks to spacious tool boxes and integrated holders
- You can get started quickly thanks to its sophisticated thermal management. Opening the bonnet is not necessary

Article number	0225201	0225203	0225651
Version	ROM SmartTrailer PRO 150/50 Petrol Essential	ROM SmartTrailer PRO 150/50 Petrol Comfort	ROM SmartTrailer PRO 160/60 Diesel Comfort Plus
Starting system	Electric		Electronic
Engine	16,9kW / 23hp B&S VANGUARD EU Stage V & EPA Tier 4 Petrol engine		18,5kW / 25hp KUBOTA D1105 Stage V & EPA Tier 4 Diesel engine
Pump	NP25/50		NP25/60
Water tank capacity	650l		
Empty weight (excl. options)	Approx. 575kg		
Dimensions (l x w x h)	3700 x 1440 x 1380mm		
HP reel drive	Manually	Electric	
HP sewer jetting hose	80m. 1/2" (ND13)		
Water filling hose reel	Manually operated water filling reel incl. 50m 3/4" water hose (ND20)		
Remote control	-	Smart-Remote +, 7 buttons	Professional-Remote ("In- & Outdoor"), 8 buttons
Operating system	ROM operating system		Intelligent iROM control



OPTIONS ROM SMARTTRAILER PRO

04788001



Surcharge Electrical radio remote control Professional-Remote*

- 8 buttons with pressure on/off, (vacuum on/off), infinite speed control, emergency stop and battery charger for transmitter
- Work more efficiently, ergonomic, and safely
- Makes it possible to operate the machine by yourself and to work from a greater distance
**Essential edition only*

0425



Rotating beacon 360° (LED) on pole

- For maximum safety

0423



Second HP reel

- Second HP reel instead of water filling reel, complete with 3-way valve/unloader combined system. Excluding HP hose

04102



Fixed hydrant filling connection

- Fixed hydrant filling connection equipped with STORZ coupling (cam size 66mm.) with filter on the water tank
- Filling of the water tank via STORZ connection (for e.g. fire hydrants)
- Via the optional Open Venturi Type Ejector you can also (re)fill the water tank via surface water. Besides this, you can empty cellars, shafts, and manholes

048131



Fixed venturi type ejector

- Fixed venturi type ejector combined with camlock filling connection, including 10m. hose, filter and bypass switch
- (Re)fill your water tank quickly and easily by suctioning surface water
- The filter on the venturi type ejector prevents contamination of the water tank by aquatic weeds and floating debris

0434010



Additional storage holder

- Additional storage holder for spray gun; for intensive use of spray gun, mounted onto bumper. Suitable for 2nd high pressure reel.

OTHER OPTIONS

Art.No.	Description
---------	-------------

0484	Pulsation system, manually operated. For a lower water consumption and the hose advances further in the pipe and passes through bends easier
04233	40m. 3/8" HP steelplly hose, incl. quick-release valve on the hose and quick-release turnbuckle for the spray lance
00740	ENZ 1/2" nozzle case ROM Anniversary Edition with Grenade, Pointed nozzle, Rotojet KBR, Tool Case
0070	Nozzle case ROM JetToolcase (Hose ND13 & ND16 with 1/2" connection).
TRB300	Net discount picking up ROM SmartTrailer PRO in Brno, Czech Republic instead of in Barneveld, The Netherlands. Possible for tranportation within EU. Delivery: FCA Brno CZ (Incoterms 2020)

Parts for preventive maintenance? Save money by including a maintenance kit with your order. Consult your local partner or ROM.

